

RECEIVED  
CENTRAL FAX CENTER

FEB 14 2006

Docket No. 004518/00019

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT:	West et al.	EXAMINER:	Vestal, R.M.
SERIAL NO.:	10/074,219	GROUP:	1753
FILED:	12 February 2002	CONF. NO.:	6185
FOR:	Combination pH Electrode with Stable Standard Potential		


COMMISSIONER FOR PATENTS  
P.O. BOX1450  
ALEXANDRIA, VA 22313-1450  
FILED VIA FACSIMILE TO: (571) 273-8300 (16 Pages)

Sir:

OFFICE ACTION RESPONSE

In response to the Office Action dated 14 October 2005, Applicant respectfully requests amendment of the claims as set forth herein. Remarks begin on page 6 of this paper.

Respectfully submitted,



Ernest V. Linek (Reg. No. 29,822)  
Attorney for Applicant  
BANNER & WITCOFF, LTD.

28 State Street, 28<sup>th</sup> Floor  
Boston, MA 02109-1775  
Tel: (617) 720-9600  
Fax: (617) 720-9601  
E-Mail: ELinek@bannerwitcoff.com

Date: February 14, 2006

Document No. 122375